


A2

Slotted oval head
machine screws, stainless steel

DIN 964 A



ISO 2010

d	M3		M4		M5		M6		
D	5,6		7,5		9,2		11		
k	1,65		2,2		2,5		3		
L	quantity	100	1000+	100	1000+	100	1000+	100	1000+
6		7.-	4.90	13.40	9.80	21.75	16.90		
8		6.30	3.95	8.80	6.10	14.50	10.60	24.75	18.-
10		6.30	3.95	8.30	5.60	12.20	8.50	16.60	12.10
12		6.40	4.-	9.-	6.20	13.20	9.20	16.30	11.90
(14)		7.10	4.70			15.50	11.20		
16		7.10	4.70	9.90	6.90	14.30	10.40	18.10	13.20
(18)		8.10	5.70			19.80	14.40	27.75	21.-
20		7.10	4.70	11.40	8.-	16.50	12.-	20.75	15.10
(22)				17.60	12.80				
25		11.90	8.40	13.20	9.20	19.50	14.10	23.50	17.10
30		16.30	11.90	14.70	10.70	22.-	16.-	25.50	19.40
35				16.90	12.30	24.50	17.80	29.-	22.-
40		18.-	12.30	23.75	17.40	26.25	19.90	34.75	26.50
45						36.-	27.25	44.-	33.50
50		44.50	34.-	44.-	36.75	42.-	35.50	50.-	38.-
60						52.-	43.50	61.50	47.-

+ 10% discount for 10 000 pieces per item


Maryland Metrics Fastener Catalog - Chapter G Owings Mills, MD 21117 USA

phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 e-mail: techinfo@mdmetric.com
copyright 2003 maryland metrics/kyburz.ch

A2

Slotted oval head
machine screws, stainless steel

DIN 964 A



ISO 2010


d	M8		M10
D	14,5		18
k	4		5
L	quantity	100	1000+
16	40.50	30.50	105.-
20	42.-	32.-	119.-
25	48.-	36.25	136.-
30	54.-	41.-	141.-
35	60.50	46.-	157.-
40	65.50	51.50	164.-
45	89.-	70.-	
50	91.-	72.-	
55	139.-	108.-	
60	105.-	82.50	

+ 10% discount for 10 000 pieces per item

A4

Slotted oval head
machine screws, stainless steel

DIN 964 A



ISO 2010

d	M 3		M 4		M 5		M 6		M 8	
D	5,6		7,5		9,2		11		14,5	
k	1,65		2,2		2,5		3		4	
L	quantity	100	1000+	100	1000+	100	1000+	100	1000+	100
6		8.40	5.90	18.50	13.40					
8		7.10	5.-	11.40	8.-	19.40	14.10			
10		7.10	5.-	10.-	7.-	14.80	10.80	22.75	16.60	
12		7.40	5.50	11.10	7.80	15.90	11.60	22.25	16.20	
16		8.40	5.90	12.40	8.60	19.10	13.90	24.25	17.60	51.-
20		9.30	6.50	13.80	10.10	21.75	15.80	26.-	19.70	53.50
25		15.90	11.60	15.90	11.60	25.-	18.10	30.25	22.75	60.-
30		19.80	14.40	18.50	13.40	28.-	21.25	34.25	26.-	66.-
35				25.-	18.10	31.75	24.-	39.75	30.25	73.-
40				37.75	28.50	34.75	26.50	48.50	37.-	81.50
45								60.-	45.50	
50						61.50	48.50	72.50	57.-	98.-
60						74.50	65.-	82.50	65.50	119.-

+ 10% discount for 10 000 pieces per item


Maryland Metrics Fastener Catalog - Chapter G Owings Mills, MD 21117 USA

phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 e-mail: techinfo@mdmetric.com
copyright 2003 maryland metrics/kyburz.ch

A2

Slotted flat trim head
machine screws, stainless steel

SN 213 328




d	M4		M 5		M 6			
D	6		8		10			
k	1,05		1,6		2,1			
L	quantity		100	1000+	100	1000+	100	1000+
5	18.-	15.-						
6	9.90	8.-	24.-	16.80				
8	9.90	8.-	15.-	11.90	37.50	28.50		
10	10.70	8.50	15.20	12.-	28.-	21.-		
12	11.50	9.30	15.90	12.70	20.50	18.-		
(14)			18.-	14.80				
16	13.-	10.40	19.50	15.60	22.50	19.80		
(18)					29.-	25.-		
20	17.20	13.70	20.30	16.80	25.70	22.60		
25	18.60	14.90	23.50	18.40	30.50	26.60		
30	20.20	16.30	23.80	18.90	33.60	29.80		
35			30.-	23.80	38.-	34.20		
40			32.-	26.-	45.-	41.10		
50					65.-	52.-		

+ 10% discount for 10 000 pieces per item

A2

Truss head
machine screws, stainless steel




K 716

d	M4		M 5		M6		M 8		
D	10		12		14		17		
k	3		4		4,2		4,5		
L	quantity	100	1000	100	1000	100	1000	100	1000
5		12.-	8.60						
6		12.-	8.60						
8		13.60	9.90	17.70	14.10	30.-	21.50		
10		13.80	10.10	19.60	16.20	30.-	21.50		
12		14.80	11.-	20.40	16.60	31.50	22.50	85.-	66.-
16		16.50	12.80	21.50	17.30	35.25	25.25	72.-	53.50
20		18.80	13.70	26.80	22.30	39.-	28.-	75.-	56.80
25		21.50	16.10	30.50	26.-	40.-	29.80	79.-	61.50
30		23.50	18.70	33.60	29.50	42.40	32.50	81.30	64.10
35				35.-	31.10	47.-	38.25	102.-	85.-
40		25.-	20.40	37.50	33.80	52.-	42.-	110.-	92.-
50						70.50	54.50		

A2

Cross recessed pan head machine screws, stainless steel type H (Phillips)




ISO 7045 / DIN 7985

d	M2		M 2,5		M 3		M 4	
D	4		5		6 ISO 5,6		8	
k	1,6		2 ISO 2,1		2,4		3,1	
m ≈	2,5		2,7		3,1		4,6	
driver size	1		1		1		2	
L quantity	100	1000+	100	1000+	100	1000+	100	1000+
4	7.-	4.50	7.-	4.80	7.-	4.90		
5	7.-	4.80	7.-	4.80	7.-	4.90	10.50	8.60
6	7.-	4.90	7.-	5.-	7.-	5.10	7.50	6.20
8	7.-	4.90	7.-	5.20	7.-	5.30	8.40	6.80
10	7.-	5.20	7.-	5.70	7.-	5.90	9.-	7.10
12	7.20	5.90	7.-	6.-	7.40	6.40	10.-	7.70
(14)			9.-	7.10			11.50	9.20
16	7.80	6.40	8.50	6.60	8.10	7.10	11.50	9.20
20	8.80	7.20	13.70	9.50	8.90	7.90	12.90	10.20
(22)					10.50	8.20		
25					11.-	8.80	15.50	12.30
30					12.50	10.30	16.30	12.80
35					14.60	12.-	21.60	17.90
40					17.50	14.80	23.50	20.-
45							27.-	23.60
50							29.-	25.10

+ 10% discount for 10 000 pieces per item

A2

Cross recessed pan head machine screws, stainless steel type H (Phillips)




ISO 7045 / DIN 7985

d	M5		M 6		M 8	
D	10 ISO 9,5		12		16	
k	3,8 ISO 3,7		4,6		6	
m ≈	5,3		6,8		9	
driver size	2		3		4	
L quantity	100	1000+	100	1000+	100	1000+
6	16.90	13.80				
8	16.90	13.80	23.25	16.90		
10	17.-	13.90	23.-	16.70		
12	17.90	14.60	24.50	17.80	52.-	43.-
16	18.80	15.40	27.25	19.70	55.-	46.-
20	20.50	16.70	28.75	21.75	60.-	51.-
25	22.60	18.70	33.75	25.50	62.-	53.50
30	25.15	21.-	35.75	27.25	64.50	55.10
35	31.50	24.-	39.25	29.75	68.-	58.-
40	35.50	27.-	47.-	35.50	79.-	64.50
45	39.-	29.50	53.-	42.60	88.-	72.-
50	45.50	34.25	55.-	45.10	92.-	76.-
60	48.-	37.90	61.-	52.40		
70	51.-	40.60				

+ 10% discount for 10 000 pieces per item

A2

Cross recessed flat head machine screws, stainless steel type H (Phillips)



DIN 965


ISO 7046

d	M2		M 2,5		M 3		M 4	
D	3,8		4,7		5,6		7,5	
k	1,2		1,5		1,65		2,2	
m ≈	2,35		2,7		2,9		4,4	
driver size	1		1		1		2	
L quantity	100	1000+	100	1000+	100	1000+	100	1000+
4	7.-	4.20	7.-	5.20	8.-	6.20		
5	7.-	4.60	7.-	5.20	7.-	5.50		
6	7.-	4.70	7.-	5.30	7.-	5.30	10.20	7.10
8	7.-	4.80	7.-	5.30	7.-	4.90	10.20	7.10
10	7.-	4.80	7.-	5.50	7.-	4.60	9.50	6.70
12	7.-	5.20	7.-	5.60	7.-	4.80	10.20	7.10
(14)				8.50		7.10		
16	8.-	6.20	10.80	7.50	7.70	5.40	12.30	8.60
20			12.90	9.-	8.-	6.40	14.30	9.80
25					10.80	7.50	16.-	11.70
30					11.50	9.30	18.20	13.30
35					17.70	14.80	20.40	15.80
40					19.50	16.-	21.80	16.60
45							33.50	25.50
50							35.-	28.-

+ 10% discount for 10 000 pieces per item

A2

Cross recessed flat head machine screws, stainless steel type H (Phillips)



DIN 965

ISO 7046

d	M5		M6		M8		M10
D	9,2		11		14,5		18
k	2,5		3		4		5
m ≈	4,6		6,6		8,7		9,6
driver size	2		3		4		4
L quantity	100	1000+	100	1000+	100	1000+	100
6	13.50	11.-					
8	12.-	9.80	23.25	17.-			
10	12.50	10.15	22.50	16.40			
12	13.-	10.50	18.50	15.-	55.-	44.-	
16	14.30	11.60	20.50	16.20	55.-	44.-	118.-
20	17.-	13.80	23.60	21.-	59.-	48.50	95.-
25	19.55	15.90	24.80	20.-	62.-	51.40	105.-
30	20.60	16.80	27.60	22.60	65.-	54.50	110.-
35	22.50	18.40	33.35	27.10	69.-	58.10	
40	27.20	22.-	34.-	27.80	75.-	65.-	140.-
45	34.-	28.-	38.-	31.-	84.-	73.20	
50	51.50	39.-	39.80	32.20	90.-	79.70	
55			43.-	36.60			
60	59.-	47.30	47.80	39.-	140.-		
70	91.50	72.50	55.-	44.-	165.-		
80	98.-	79.30	72.-	59.-			
90					272.-		


+ 10% discount for 10 000 pieces per item

Maryland Metrics Fastener Catalog - Chapter G Owings Mills, MD 21117 USA

phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 e-mail: techinfo@mdmetric.com
copyright 2003 maryland metrics/kyburz ch

A2

Cross recessed oval head machine screws, stainless steel type H (Phillips)



DIN 966


ISO 7047

d	M 3		M 4		M 5		M 6		M 8
D	5,6		7,5		9,2		11		14,5
k	1,65		2,2		2,5		3		4
m ≈	3,1		4,5		5,3		6,8		9
driver size	1		2		2		3		4
L quantity	100	1000+	100	1000+	100	1000+	100	1000+	100
5	8.-	5.80							
6	7.30	5.10	9.90	7.60	22.25	16.20			
8	7.30	5.10	9.50	7.30	13.50	11.90			
10	7.30	5.10	9.20	7.10	12.80	11.20	20.50	17.30	
12	7.60	5.30	9.70	7.50	14.-	12.40	21.70	18.30	
16	8.30	6.-	11.-	9.10	16.30	14.40	21.90	18.50	55.-
20	9.50	7.30	12.50	10.60	19.80	17.-	24.10	20.40	58.-
25	10.50	9.20	15.10	12.40	22.10	19.50	28.25	24.50	60.-
30			17.75	14.40	25.70	22.50	32.40	26.75	67.-
35			33.75	25.75	28.60	25.75	41.80	34.25	75.-
40			37.25	28.25	31.05	28.25	43.70	36.75	84.-
45			51.50	39.-	51.50	39.-	48.50	39.60	95.-
50			50.50	38.25	54.-	41.-	53.80	44.-	102.-
60					62.50	49.10	72.-	59.50	154.-
80							91.-	76.-	

+ 10% discount for 10 000 pieces per item

A2

Hexalobular socket cheese head screws, stainless steel




ISO 14580

d	M4		M 5		M6	
D	7		8,5		10	
k	3,1		3,65		4,4	
m (TX)	T20 (3,95)		T25 (4,5)		T30 (5,6)	
L quantity	100	1000+	100	1000+	100	1000+
6	25.-	17.60				
8	27.-	19.30				
10	29.75	21.25	32.75	23.75	37.25	28.25
12	31.75	23.-	33.75	25.50	40.50	30.75
16	34.-	25.75	37.25	28.25	47.50	36.25
20	37.25	28.-	39.75	30.-	51.-	39.50
25	40.50	30.75	46.-	35.-	56.50	43.50
35					95.50	74.50

+ 8% discount for 10000 pieces per item

A2

Hexalobular socket flat
heat screws, stainless steel



ISO 14581

ISO 7046

d	M2		M 2,5		M 3		M 4	
D	3,8		4,7		5,6		7,5 ISO 8,4	
k	1,2		1,5		1,65		2,2 ISO 2,7	
m (TX)	T6 (1,75)		T8 (2,4)		T10 (2,8)		T20 (3,95)	
L quantity	100	1000+	100	1000+	100	1000+	100	1000+
4	12.60	8.10						
5	10.80	6.80	10.80	6.80				
6	10.80	6.80	10.80	6.80	10.30	6.40		
8	10.90	6.90	10.90	6.90	10.90	6.90	11.50	7.30
10			11.40	7.30	10.90	6.90	11.70	7.40
12					11.50	7.30	15.80	10.60
16					11.60	7.40	17.10	11.60
20					12.10	7.80	17.90	12.20
25							18.80	12.90

d	M5		M 6	
D	9,3		11,3	
k	2,7		3,3	
m (TX)	T25 (4,5)		T30 (5,6)	
L quantity	100	1000+	100	1000+
10	18.50	12.70	24.50	17.20
12	20.-	13.80	25.75	18.30
16	24.50	17.30	36.25	27.50
20	28.-	20.-	40.50	30.50
25	31.50	22.75	45.50	34.75
30	34.25	24.75	48.50	37.25
35	36.-	27.25	52.50	40.50
40	39.50	30.-	57.50	44.50
50			72.50	56.50

+ 10% discount for 10000 pieces per item

Maryland Metrics Fastener Catalog - Chapter G Owings Mills, MD 21117 USA

phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 e-mail: techinfo@mdmetric.com
copyright 2003 maryland metrics/kyburz.ch